

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	121312	IBM.as. or (INTERNATIONAL BUSINESS MACHINES).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L2	24	((virtual lane) and (divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) near4 (buffer or store or cache)) and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L3	129	(dymanic\$4 or automatic\$4 or auto or auto- or self or self-) with (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) with (buffer or store or cache) and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L4	10	(dymanic\$4 or automatic\$4 or auto or auto- or self or self-) with (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz\$5 or use or usage) and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L5	7	(dymanic\$4 or automatic\$4 or auto or auto- or self or self-) with (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz\$5) and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L6	3	L4 not L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L7	80	(dymanic\$4 or automatic\$4 or auto or auto- or self or self-) near6 (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) near6 (buffer or store or cache) with (capacity or utiliz\$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L8	464	711/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L9	6	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L10	5	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and 711/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L11	30	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and (711/170.ccls. or 711/173.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L12	5	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and (711/153.ccls. or 711/165.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L13	0	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and (710/?????.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L14	85	(adjust\$3 or divid\$3 or partition\$3 or split\$4 or part\$3) near6 (buffer or store or cache) near8 (capacity or utiliz\$5 or use or usage) and (711/129.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L15	126	(adjust\$3 or divid\$3 or partition\$3 or split\$4 or part\$3) near6 (buffer or store or cache) with (allocat\$4 or realloc\$4 or re-alloc\$4 or assign\$3 or reassign\$3 or re-assign\$3) near6 (capacity or utiliz\$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L16	47	L15 and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L17	47	(re-allocat\$4 or reallocat\$4) near8 (capacity or usage or use or utiliz\$5) with (partition\$3 or region or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L18	63	increment\$3 near3 (count\$2 or register) near6 (buffer or cache) near3 (full or exceed\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L19	19	L18 and (timer or (timing near2 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L20	6	(timer or (timing adj2 signal)) with network with (repartition\$3 or re-partition\$3 or allocat\$4 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L21	40	(timer or (timing adj2 signal)) with (repartition\$3 or re-partition\$3 or allocat\$4 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L22	50	timer near6 (repartition\$3 or re-partition\$3 or allocat\$4 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L23	1	timer near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L24	2	(timer or (timing adj2 signal)) with (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L25	12	signal near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L26	17	signal near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L27	17	signal adj3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory) with counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L28	16	(timing near2 signal) near6 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L29	106	(timer) near3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L30	30	(timer) near3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L31	13	L29 and 711/???.ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L32	47	(timer) near6 (???partition\$3 or ???allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L33	32	(timer) near6 (re-partition\$3 or re-allocat\$4 or repartition\$3 or reallocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L34	10	infiniband host channel adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L35	31	infiniband and (host channel adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L36	21	L35 not L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L37	1	signal adj3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory) with timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L38	63	increment\$3 near3 (count\$2 or register) near6 (buffer or cache) near3 (full or exceed\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L39	45	(signal or indicat\$4 or trigger\$3) near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L40	121312	IBM.as. or (INTERNATIONAL BUSINESS MACHINES).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L41	10	(dynamic\$4 or automatic\$4 or auto or auto- or self or self-) with (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz\$5 or use or usage) and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L42	31	infiniband and (host channel adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L43	464	711/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L44	492	signal near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L45	546	signal adj3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:55
L46	2	L43 and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L47	1	signal near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache) with tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L48	1	"20020085493"	US-PGPUB	ADJ	ON	2007/07/24 12:40
L49	1	"5889792".pn.	USPAT	ADJ	ON	2007/07/24 12:40
L50	121312	IBM.as. or (INTERNATIONAL BUSINESS MACHINES).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L51	30	((dymanic\$4 or automatic\$4 or auto or auto- or self or self-) same (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) same (buffer or store or cache) same (capacity or utiliz\$5 or use or usage)) and (711/170.ccls. or 711/173.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L52	40	(timer or (timing adj2 signal)) with (repartition\$3 or re-partition\$3 or allocat\$4 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L53	30	(timer) near3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory) and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L54	45	(signal or indicat\$4 or trigger\$3) near6 (repartition\$3 or re-partition\$3 or re-allocat\$4 or reallocat\$4) near6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L55	63	increment\$3 near3 (count\$2 or register) near6 (buffer or cache) near3 (full or exceed\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L56	10	(dynamic\$4 or automatic\$4 or auto or auto- or self or self-) with (adjust\$3 or divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) with (buffer or store or cache) with (capacity or utiliz\$5 or use or usage) and L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L57	126	(adjust\$3 or divid\$3 or partition\$3 or split\$4 or part\$3) near6 (buffer or store or cache) with (allocat\$4 or realloc\$4 or re-alloc\$4 or assign\$3 or reassign\$3 or re-assign\$3) near6 (capacity or utiliz\$5 or use or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L58	24	((virtual lane) and (divid\$3 or partition\$3 or split\$4 or portion or section or division or parting) near4 (buffer or store or cache)) and L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L59	47	L57 and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L60	47	(re-allocat\$4 or reallocat\$4) near8 (capacity or usage or use or utiliz\$5) with (partition\$3 or region or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L61	19	L55 and (timer or (timing near2 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L62	50	timer near6 (repartition\$3 or re-partition\$3 or allocat\$4 or re-allocat\$4 or reallocat\$4) near4 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L63	17	signal adj3 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory) with counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40

EAST Search History

L64	16	(timing near2 signal) near6 (partition\$3 or partition\$3 or allocat\$4 or allocat\$4) near3 (buffer or cache or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40
L65	47	(timer) near6 (???partition\$3 or ???allocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:40